



Report N°: 2009030641

Page N°: 1/ 4

Can Tho City, Date: September 03, 2022
TP. Cần Thơ, Ngày: 03/09/2022

ANALYSIS REPORT
BÁO CÁO PHÂN TÍCH

REF. NO.: CTFDL20/03070-1
Đơn hàng: CTFDL20/03070-1

CLIENT'S NAME : **GREEN STARCH JOINT STOCK COMPANY**
Tên khách hàng : CÔNG TY CỔ PHẦN TINH BỘT XANH

CLIENT'S ADDRESS : **NO 91 HAMLET 2, WARD 2, SA DEC CITY, DONG THAP PROVINCE, VIETNAM**
Địa chỉ : SỐ 91 KHÓM 2, PHƯỜNG 2, THÀNH PHỐ SA ĐÉC, TỈNH ĐỒNG THÁP

The following sample(s) was/were submitted and identified by the client as:
Mẫu thử nghiệm được cung cấp và nhận dạng bởi khách hàng:

Sample description : **RICE MACARONI**
Mô tả mẫu : Nui ngũ sắc

Number of sample : **01 sample**
Số lượng mẫu : 01 mẫu

Sample characterisation/ condition : **Sample in plastic bag**
Tình trạng mẫu : Mẫu chứa trong túi nhựa

Client's reference : **RICE MACARONI**
Chú thích của khách hàng : Nui ngũ sắc

Date sample(s) received : **August 26, 2022**
Ngày nhận mẫu : 26/08/2022

Testing period : **August 27 – September 03, 2022**
Thời gian thử nghiệm : 27/08/2022 – 03/09/2022

Test requested : **As applicant's requirement**
Yêu cầu thử nghiệm : Theo yêu cầu của khách hàng

Test result : **Please refer to the next page(s)**
Kết quả kiểm nghiệm : Vui lòng tham khảo trang sau



SGS Vietnam Ltd.

198 Nguyen Thi Minh Khai St., Ward 6, Dist.3, Ho Chi Minh City, Vietnam
HCM Laboratory: Lot III/21, St. 19/5A, Group CN III, Tan Binh IZ, Tay Thanh Ward, Tan Phu Dist., Ho Chi Minh City, Vietnam
Can Tho Laboratory: Korea – VN Incubator Park in Can Tho, 8th St., Tra Noc 2 IZ, Phuoc Thoi Ward, O Mon Dist., Can Tho City, Vietnam
(84-28) 3935 1920 (84-28) 3935 1921 www.sgs.vn

This document is issued by the Company subject to its General Conditions of Service (www.sgs.com/en/Terms-and-Conditions.aspx). Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein.

This document is to be treated as an original within the meaning of UCP 600. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The authenticity of this document may be verified at <https://sgsonsite.sgs.com/en/v2/common/ocertificate/authenticateCertificate.jsp>.



Report N°: 2009030641

Page N°: 2/ 4

DETAIL TEST RESULT(S)
KẾT QUẢ KIỂM NGHIỆM

Testing analysis <i>Chỉ tiêu phân tích</i>	Method <i>Phương pháp</i>	Result <i>Kết quả</i>	Unit <i>Đơn vị</i>
1. Total plate count <i>Tổng vi sinh vật hiếu khí</i>	ISO 4833-1:2013 ^(A)	1.6 x 10 ²	cfu/g
2. Total Coliforms <i>Coliform tổng</i>	ISO 4832:2006 ^(A)	< 10	cfu/g
3. <i>E. Coli</i> <i>E. Coli</i>	ISO 16649-2:2001 ^(A)	< 10	cfu/g
4. <i>Staphylococcus aureus</i> <i>Staphylococcus aureus</i>	US FDA BAM Chapter 12 (2016) ^(A)	< 10	cfu/g
5. <i>Bacillus cereus</i> <i>Bacillus cereus</i>	AOAC 980.31 (21 st Ed., 2019) ^(A)	< 10	cfu/g
6. <i>Clostridium perfringens</i> <i>Clostridium perfringens</i>	ISO 7937:2004 ^(A)	< 10	cfu/g
7. Total Yeast <i>Tổng nấm men</i>	ISO 21527-2:2008 ^(A)	< 10	cfu/g
8. Total Mold <i>Tổng nấm mốc</i>	ISO 21527-2:2008 ^(A)	2.0 x 10 ¹	cfu/g
9. Gluten allergen <i>Dị ứng Gluten</i>	AOAC 2012.01 (21 st Ed., 2019) (R5 sandwich ELISA method)	Not detected <i>Không phát hiện</i> LOD = 1.0	mg/kg
10. Arsenic (As) <i>Asen</i>	Ref. AOAC 2013.06 (21 st Ed., 2019) ^(A)	Not detected <i>Không phát hiện</i> LOD = 0.07	mg/kg
11. Cadmium (Cd) <i>Cadimi</i>	Ref. AOAC 2013.06 (21 st Ed., 2019) ^(A)	Not detected <i>Không phát hiện</i> LOD = 0.03	mg/kg
12. Lead (Pb) <i>Chì</i>	Ref. AOAC 2013.06 (21 st Ed., 2019) ^(A)	Not detected <i>Không phát hiện</i> LOD = 0.03	mg/kg
13. Mercury (Hg) <i>Thủy ngân</i>	Ref. AOAC 2013.06 (21 st Ed., 2019) ^(A)	Not detected <i>Không phát hiện</i> LOD = 0.1	mg/kg



SGS Vietnam Ltd.

198 Nguyen Thi Minh Khai St., Ward 6, Dist.3, Ho Chi Minh City, Vietnam

HCM Laboratory: Lot III/21, St. 19/5A, Group CN III, Tan Binh IZ, Tay Thanh Ward, Tan Phu Dist., Ho Chi Minh City, Vietnam

Can Tho Laboratory: Korea – VN Incubator Park in Can Tho, 8th St.,

Tra Noc 2 IZ, Phuoc Thoi Ward, O Mon Dist., Can Tho City, Vietnam

(84-28) 3935 1920 f(84-28) 3935 1921 www.sgs.vn

This document is issued by the Company subject to its General Conditions of Service (www.sgs.com/en/Terms-and-Conditions.aspx). Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein.

This document is to be treated as an original within the meaning of UCP 600. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

The authenticity of this document may be verified at
<https://sgsonsite.sgs.com/en/v2/common/ecertificate/authenticatteeCertificate.jsp>.



Report N°: 2009030641

Page N°: 3/ 4

Testing analysis <i>Chỉ tiêu phân tích</i>	Method <i>Phương pháp</i>	Result <i>Kết quả</i>	Unit <i>Đơn vị</i>
14. Aflatoxin B1 <i>Aflatoxin B1</i>	LFOD-TST-SOP-8456 (2020) (Ref. EN 17194:2019)	Not detected <i>Không phát hiện</i> LOD = 0.3	µg/kg
15. Aflatoxin B2 <i>Aflatoxin B2</i>	LFOD-TST-SOP-8456 (2020) (Ref. EN 17194:2019)	Not detected <i>Không phát hiện</i> LOD = 0.3	µg/kg
16. Aflatoxin G1 <i>Aflatoxin G1</i>	LFOD-TST-SOP-8456 (2020) (Ref. EN 17194:2019)	Not detected <i>Không phát hiện</i> LOD = 0.3	µg/kg
17. Aflatoxin G2 <i>Aflatoxin G2</i>	LFOD-TST-SOP-8456 (2020) (Ref. EN 17194:2019)	Not detected <i>Không phát hiện</i> LOD = 0.3	µg/kg
18. Aflatoxin (B1, B2, G1, G2) <i>Aflatoxin (B1, B2, G1, G2)</i>	LFOD-TST-SOP-8456 (2020) (Ref. EN 17194:2019)	Not detected <i>Không phát hiện</i>	µg/kg
19. Ochratoxin A <i>Ochratoxin A</i>	LFOD-TST-SOP-8456 (2020) (Ref. EN 17194:2019)	Not detected <i>Không phát hiện</i> LOD = 0.3	µg/kg

Note/Ghi chú:

- LOD = Limit of Detection/ *Giới hạn phát hiện*
- When the chemical analyte is detected but the concentration is below limit of quantitation (LOQ), the result is reported as "< LOQ". If the result was calculated from sum of individual analytes, it was done without single values below LOQ taken into account. For microbiological analyte, according to the plate count testing method with dilution factor of 10, the result of the sample that the relevant colonies were not formed was reported as < 10 cfu/g.
Khi chất phân tích hóa học được phát hiện nhưng nồng độ nhỏ hơn giới hạn định lượng (LOQ), thì kết quả sẽ được thể hiện là "< LOQ". Nếu kết quả được tính từ tổng của từng chỉ tiêu, nó được thực hiện không bao gồm các giá trị đơn lẻ nhỏ hơn giới hạn định lượng. Đối với chỉ tiêu phân tích vi sinh, theo phương pháp thử nghiệm đổ đĩa với hệ số pha loãng là 10, mẫu không phát hiện khuẩn lạc sẽ được trả kết quả < 10 cfu/g.
- The method(s) remarked with (A), (H) and (T) are designated by the Ministry of Agriculture and Rural Development, the Ministry of Health, and the Ministry of Industry and Trade, respectively.
Phương pháp được đánh dấu bằng chữ (A), (H) và (T) là phương pháp tương ứng được công nhận bởi Bộ Nông Nghiệp Và Phát Triển Nông Thôn, Bộ Y Tế, và Bộ Công Thương.



SGS Vietnam Ltd.

198 Nguyen Thi Minh Khai St., Ward 6, Dist.3, Ho Chi Minh City, Vietnam

HCM Laboratory: Lot III/21, St. 19/5A, Group CN III, Tan Binh IZ, Tay Thanh Ward, Tan Phu Dist., Ho Chi Minh City, Vietnam

Can Tho Laboratory: Korea – VN Incubator Park in Can Tho, 8th St., Tra Noc 2 IZ, Phuoc Thoi Ward, O Mon Dist., Can Tho City, Vietnam

(84-28) 3935 1920 f(84-28) 3935 1921 www.sgs.vn

This document is issued by the Company subject to its General Conditions of Service (www.sgs.com/en/Terms-and-Conditions.aspx). Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein.

This document is to be treated as an original within the meaning of UCP 600. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

The authenticity of this document may be verified at
<https://sgsonsite.sgs.com/en/v2/common/ocertificate/authenticateCertificate.jsp>.



SGS

Report N°: 2009030641

Page N°: 4/ 4

PHOTO APPENDIXI PHỤ LỤC HÌNH ẢNH



REPORT RESULTS REFER TO SUBMITTED SAMPLE (S) ONLY AND SUCH
SAMPLE(S) ARE RETAINED FOR 07 DAYS ONLY IF THERE ARE NO OTHER SPECIFIC STATEMENTS
*Kết quả phân tích chỉ có giá trị trên mẫu đã nhận tại phòng thí nghiệm và mẫu được lưu trữ trong vòng 07 ngày nếu
không có thông báo đặc biệt khác*

END OF THE REPORT

Signed for and on behalf of

SGS Vietnam LTD

Thay Mặt Công ty SGS Việt Nam

Lâm Văn Xự

Thay mặt công ty

SGS SGS Vietnam Ltd

SGS

SGS Vietnam Ltd.

198 Nguyen Thi Minh Khai St., Ward 6, Dist.3, Ho Chi Minh City, Vietnam

HCM Laboratory: Lot III/21, St. 19/5A, Group CN III, Tan Binh IZ, Tay

Thanh Ward, Tan Phu Dist., Ho Chi Minh City, Vietnam

Can Tho Laboratory: Korea – VN Incubator Park in Can Tho, 8th St.,

Tra Noc 2 IZ, Phuoc Thoi Ward, O Mon Dist., Can Tho City, Vietnam

t(84-28) 3935 1920 f(84-28) 3935 1921 www.sgs.vn

This document is issued by the Company subject to its General Conditions of Service (www.sgs.com/en/Terms-and-Conditions.aspx). Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein.

This document is to be treated as an original within the meaning of UCP 600. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

The authenticity of this document may be verified at

<https://sgsonsite.sgs.com/en/v2/common/ecertificate/authenticateCertificate.jsp>.